BOTANICAL JOURNAL of the Linnean Society

VOLUME 115 NUMBERS 1–4 PAGES 1–405

THE LINNEAN SOCIETY OF LONDON
BURLINGTON HOUSE, PICCADILLY, LONDON W1V 0LQ
1994

Dates of publication of the numbers included in Vol. 115:

No. 1, pp. 1–94, published 21 June 1994
No. 2, pp. 95–164, published 18 July 1994
No. 3, pp. 165–260, published 7 September 1994
No. 4, pp. 261–405, published 21 October 1994

© 1994 The Linnean Society of London

CONTENTS

	Pages
BURGAZ, A. R., FUERTES, E. and ESCUDERO, A., Climax epiphytic communities in Mediterranean Spain	35–47
GODWARD, M. B. E. and PELL, K., Inheritance of exine pattern in *Nicotiana* × *sanderae* (Solanaceae)	145–159
GOSLER, A. G., KELLY, C. K. and BLAKEY, J. K., Phenotypic plasticity in leaf morphology of *Crataegus monogyna* (Rosaceae): an experimental study with taxonomic implications	211–219
GUITIÁN, J., SÁNCHEZ, J. M. and GUITIÁN, P., Pollination ecology of *Petrocoptis grandiflora* Rothm. (Caryophyllaceae), a species endemic to the north-west part of the Iberian Peninsula	19–27
GUPTA, A., Fungal fruiting bodies from Lower Tertiary sediments of Sirmaur district, Himachal Pradesh, India	247–259
HEADS, M., A biogeographic review of *Parahebe* (Scrophulariaceae)	65–89
JØRGENSEN, P. M., JAMES, P. W. and JARVIS, C. E., Linnaean lichen names and their typification	261–405
JUAN, R., PASTOR, J. and FERNANDEZ, I., Seed morphology in *Veronica* L. (Scrophulariaceae) from south-west Spain	133–143
LADD, P. G., Pollen presenters in the flowering plants—form and function.	165–195
LLOYD, R. M. and DAVIS, M. L., Spore germination and isozyme patterns in the apomictic fern *Cyrtomium falcatum*	1–8
MONASTERIO-HUELIN, E., Three new species of *Rubus* from Spain	49–56
OLESEN, J. M., A fatal growth pattern and ways suspected of postponing death: corm dynamics in the perennial herb *Corydalis cava*	95–113
POTGIETER, M. J. and VAN WYK, A. E., Fruit structure of the southern African species of *Apodytes* E. Meyer *ex* Arn. (Icacinaceae)	221–233
PUFF, C. and IGERSHEIM, A., Intra-ovarian trichomes in *Jackiopsis ornata* (Wallich) Ridsdale (Rubiaceae-Jackieae)	29–33
SALES F., Evolutionary tendencies in some annual species of *Bromus* (*Bromus* L. sect. *Genea* Dum. (Poaceae))	197–210
SÁNCHEZ-YÉLAMO, M. D., A chemosystematic survey of flavonoids in the Brassicinae: *Diplotaxis*	9–18
SANTOS-GUERRA, A. and FRANCISCO-ORTEGA, J., On the nomenclature and types of *Chamaecytisus proliferus* (L. f.) Link (Fabaceae: Genisteae), a fodder shrub from the Canary Islands	235–245
VENTER, H. J. T. and VERHOEVEN, R. L., *Maclaudia felixii*, a new genus and species in the Periplocaceae from Guinea, West Africa	57–63
WILKINSON, H. P., Leaf and twig anatomy of the Pterostemonaceae (Engl.) Small: ecological and systematic features	115–131
REVIEWS OF PUBLICATIONS	91–94, 161–163

INDEX

Compiled by L. N. Derrick, F.L.S.
New names and combinations are shown in **bold** type

Acrotriche 191
  serrulata 169, 188
Actinodium 173–5, 186, 188
  cunninghamii 173
Agaricus
  umbelliferus L. 270
Alberta 183, 189
  magna 183
Alectoria
  ochroleuca (Hoffm.) Massal. 338–9
  prolixa sensu Motyka 324
  sarmentosa (Ach.) Ach. 324
Algae [248]
Amblystegium
  subtile 43
Amphophora
  robusta 23
Anacardiaceae 124, 232
Anacardium
  occidentale L. 230, 232
Anaptychia Körb. 292
  ciliaris (L.) Körb. 41, 46, 292, 374
Andrachne
  aspera 151
Andrena 23
Anemone 110
  hepatica 110
Angiospermae [49–56, 247]
Anthophora
  acervorum 23
Anthophoridae 19–27
Anthotium 181
  rubiflorum 181
Antitrichia
  californica 37, 40, 42, 44, 45
  curtipendula 37, 38, 42, 43, 44, 45
Apodytes E. Meyer *ex* Arn. 221–33 & Figs
  dimidiata E. Meyer *ex* Arn. 221–33
    ssp. *dimidiata* 221–2, 232
Aquifoliaceae 232
Arabidopsis 156
Araceae 31
Arctoparmelia Hale 288
  centrifuga (L.) Hale 288, 373
Arctotheca 189
Arctotis 184, 189
  venusta 182 Fig.
Armeria
  langei Boiss. *ex* Lange [20]
    ssp. *deveaui* (Coutinho) P. da Silva 20
Artemisia 186
Arthonia
  tumidula (Ach.) Ach. 366
Asclepiadaceae 57–63
Asclepias
  syriaca 192
Ascodichaena
  rugosa (L.) Butin 352, 381
Aspicilia Massal 294
  calcarea (L.) Körb. 283
  cinerea (L.) Körb. 294, 374
Asplenium
  cheilosorum 2
Asteraceae 86, 165–9, 184–5, 186, 187, 189 [Figs], 191, 192
  SUBFAMILIES:
  Barnadesioideae 185
  Lactucoideae 185
    TRIBE:
    Lactuceae 168, 184
Asterales 166, 185
Asterothyrites Cookson 247–8, 249 Fig., 250–1, 256–7
  keralensis Rao & Ramanujam 251
  minutus Cookson 250–1
  ostiolatus Cookson 251
  sinuatus Cookson 251
  tennesseensis Dilcher 251
Athanasia 184
Athyrium
  distentifolia 146
  filix-femina 146
  × *reichensteinii* 146
Atropa
  belladonna 156
Aulax 172, 186
Aureolaria 134
Austromuellera 173, 188

Bacidia
  rubella (Hoffm.) Massal. 366, 382
Baeckea 175, 191
Baeomyces Pers. 281
  rufus (Huds.) Rebent. 281, 372
Banksia 171–2, 186, 188
Bellendena 172, 188, 191
Bentleya
  diminuta Crisp & Taylor 126
Bequaertiodendron 32
Bergia
  suffruticosa 125
Biatora Fr. 367, [384]
  vernalis (L.) Fr. 367, 384
Bombus
  terrestris 23
Bombyliidae 19–27
Bombylius
  canescens 23
  major 23
Bommeria
  pedata 6

Boopsis 189
Boraginaceae 25
Brabejum 172
Brachylaena 185
Brassica L. 9–10
juncea 94 Rev.
nigra 94 Rev.
Brassicaceae [9–18, 162 Rev.]
Brexia 128
Bromus L. 197–210
SECTIONS:
Bromus 206, 209
Genea Dum. 197–210 & Fig.
diandrus Roth 197, 201, 206, 209
VARIETIES:
diandrus 197–202 & Fig., 204–9 & Fig.
rigidus (Roth) Sales 197–202 & Fig., 204–9 & Fig.
fasciculatus Presl 197–202, 204–9
madritensis L. 197, 201, 202, 205, 206
SUBSPECIES:
madritensis 197–202, 204–9 & Fig.
rubens (L.) Husnot 197–202, 204–9 & Fig.
pectinatus 206, 209
rigidus Roth 206–7
rubens L. 202, 205
sterilis L. 197–202, 204–9 & Fig.
tectorum L. 197, 206, 209
SUBSPECIES:
lucidus Sales 197–202, 204–9 & Fig.
tectorum 197–202, 204–9 & Fig.
Brunonia 189
australis 181
Brunoniaceae 168–9, 181–3, 186, 189 [Fig.], 191
Bryophyta [35–47 & Map], 157
Bryoria 324
fremontii (Tuck.) Brodo & D. Hawksw. 324, 325 Fig., 377
fuscescens (Gyelnik) Brodo & D. Hawksw. 290 Fig., 291, 373
Burchellia 189
Burseraceae 232
Byssus 262, 271 Fig.
botryoides L. 270, 371
candelaris L. 270, 285, 371
incanus L. 271, 371
lacteus L. 271 & Fig., 371

Cactaceae [124]
Calathea 182 Fig., 185, 189
Caliciales 262
Calicium 369
lichenoides (L.) Schum. 369
salicinum Pers. 369, 383
viride Pers. 369
Callimothallus 256
Callistemon 186
Calycera 189
Calyceraceae 168, 184, 186, 189 [Fig.], 191
Campanula 176–7
afra 177
arvatica Lag. [20]
ssp. *adsurgens* (Leresche & Levier) Damboldt 20
persicifolia 177
Campanulaceae 168–9, 176–7, 179, 180–1, 184, 186, 188 [Figs], 192
Campanulales 166, 180, 181, 185, 192
Camptocarpus Decne 58
Canna 182 Fig., 185, 187, 189, 192
Cannaceae 168, 185, 187, 189 [Fig.], 192
Capparaceae 162 Rev.
Carex
flacca 217
Carnarvonia 172
Carphalea 32
Carpinus 287
Carpodetus 87
Caryophyllaceae 19–27
SUBFAMILY:
Silenoideae 25
Celastrales 232
Centaurea 168
Centaurium
pulchellum 151
Cephalanthus 183–4, 186
occidentalis 167, 184
Cercidium 146
Cercopithecus
aethiops L. 231
Cetraria Ach. 322, 324
alvarensis (Wahlenb.) Vain 326, 377
commixta (Nyl.) Th. Fr. 308–9
hepatizon (Ach.) Vain. 309
islandica (L.) Ach. [322], 377
ssp. *islandica* 322
juniperina [324]
nivalis (L.) Ach. 330, 378
Chaenotheca
chrysocephala (Turner *ex* Ach.) Th. Fr. 367
furfuracea (L.) Tibell 367, 383
Chamaecytisus Link 238
mollis (Cav.) Greuter & Burdet 238
proliferus (L. fil.) Link 235–45
SUBSPECIES:
angustifolius (Kuntze) G. Kunkel 239
meridionalis Acebes 239–40, 243
proliferus [238–42]
VARIETIES:
calderae Acebes 239–40, 242
canariae (H. Christ) G. Kunkel 238–43
hierrensis (Pit.) Acebes 239
palmensis (H. Christ) A. Hansen & Sunding 238–43
proliferus 239
pulvinatus (Quézel) Raynaud 238
Chamelaucium 173–5, 188, 191
erythrochlorum 175
uncinatum 173–5
Chionohebe 74, 80, 86
ciliolata 75
Chlorophyceae 247
Chrysanthemoides 184
Chrysocoma 189
Chrysothrix
candelaris (L.) Laund. 270, 371
Cladina Nyl. 348
rangiferina (L.) Nyl. [348], 380
Cladonia Hill 262, 296, 358, 384, 387
amaurocraea (Flörke) Schaer. 347, 360, 382

carneola (Fr.) Fr. 346
cervicornis (Ach.) Flotow [365, 296]
ssp. *verticillata* (Hoffm.) Ahti 365 Fig., 296, 345
chlorophaea (Flörke *ex* Sommerf.) Sprengel 303, 346
coccifera (L.) Willd. 294, 374
cornuta (L.) Hoffm. 296–7, 298 Fig., 374
ssp. *groenlandica* (E. Dahl) Ahti 297 & Fig.
crispata (Ach.) Flotow 320
deformis (L.) Hoffm. 303, 375
fimbriata (L.) Fr. 311, 346, 376
floerkeana (Fr.) Flörke 305, 375
furcata (Huds.) Schrader 298 Fig., 358
gracilis (L.) Willd. 298, 320, 377
groenlandica (E. Dahl) Trass 297
pleurota 294
polydactyla (Flörke) Sprengel 303
portentosa (Dufour) Coem. 349, 380
pyxidata (L.) Hoffm. 265 Fig., 346–7, 380
rangiferina (L.) Weber *ex* F. H. Wigg. 265 Fig., 347–8, 380
squamosa Hoffm. 296, 297 Fig.
stellaris (Opiz) Pouzar & Vězda 265 Fig., 347, 349, 380
stygia (Fr.) Ruoss 347
subulata (L.) Weber *ex* F. H. Wigg. 358, 382
sylvatica (L.) Hoffm. 349
Clarkia 217
Cochlidiosperma 140
Codiocarpus Howard 222, 232
Coelocaulon Link 324
aculeatum (Schreb.) Link 323 Fig., 324, 377
Collema
cristatum (L.) Weber *ex* F. H. Wigg. 299
fasciculare (L.) Weber *ex* F. H. Wigg. 311, 376
furfuraceum 39, 41
subflacidum 41
subnigrescens 41
tenax (Sw.) Ach. 299, 374
Comesperma 175–6, 188
calymega 176
Commelinaceae 156, 167
Commiphora Jacq. 232
Compositae 86, 166
Coniocybe Ach. 367, 369
Connaraceae 31
Connarus
reticularis 31
Conospermum 190
Coprosma 86, 88
Cordylanthus 134
Coriacei 275
Cornales 127, 232
Cornanae 127
Cornifloreae 127
Cortaderia 87
Corydalis 99 Fig., 100, 103, 109, 110
cava (L.) Schweigg. & Koerte 95–113 & Fig.
intermedia 109, 110
Corymbium 184
+ *Crataegomespilus* 146
Crataegus 146, 211–12, 217, 218
calycina 212
laevigata 212, 216–18
monogyna 211–19
Crotalaria 188
agatiflora 171 Fig.
Crotalus
atrox 3
Cruciferae 9, 11, 162 Rev.
SUBTRIBE:
Brassicinae 9–18
SECTIONS:
Catocarpum DC. 17
Rynchocarpum Prantl 16, 17
Cunoniaceae 127–8
Cunoniales 127
Cyphia 168, 179–80, 189
elata 180
triphylla 179 Fig., 180
Cyphiaceae 180, 189
Cyrtomium
falcatum (L. fil.) Presl 1–8
Cytisus Desf. 238
SECTION:
Tubocytisus DC. 238
"*fasciculatus*" 236–7, 241
perezii Hutch. 240
prolifer Kit. 235, 237, 243
prolifer L. fil. 235–6, 241
proliferus Kit. 235, 243
proliferus L. fil. 235–43
ssp. *proliferus* [238–43]
VARIETIES:
angustifolius Kuntze 240
canariae H. Christ 235, 239–40, 243
hierrensis Pit. 240
laxiflorus Kuntze 240
nanus Kuntze 240
palmensis H. Christ 235, 239–43
proliferus 238
pullulans Kit. 237

Dampiera 181
lavandulacea 182 Fig.
Darwinia 173–5, 186, 188, 191
vestita 174 Fig.
Datura
stramonium 156
Degelia
atlantica 40, 44, 46
plumbea 38, 40, 44, 46
Dendriscocaulon
umhausense 38, 40, 42, 43, 46
Dermatocarpon Eschw. 275, 330
aquaticum Zahlbr. 274–5
luridum (With.) Laund. 274–5, 372
miniatum (L.) Mann 330, 378
Derwentia Raf. 69
arcuata Briggs & Ehrend. 71
blakelyi Briggs & Ehrend. 71
derwentiana (Grand.) Briggs & Ehrend. 70
SUBSPECIES:
anisodonta Briggs & Ehrend. 71
homalodonta Briggs & Ehrend. 71
subglauca Briggs & Ehrend. 71
nivea (Lindley) Briggs & Ehrend. 69
velutina Briggs & Ehrend. 71
Detzneria 83 Map, 84
Deutzia 124–5, 127

Diastella 172, 188
Diaxulon Raf. 243
prolifer[*us*] Raf. 237, 243
Dilleniaceae 129
Diploicia
canescens (Dicks.) Massal. 334
Diploschistes
ocellatus (Vill.) Norman 359
Diplotaxis DC. 9–18
assurgens (Delile) Thell. 10, 12, 15–16
catholica (L.) DC. 10, 12, 15–17
ssp. *ibicensis* 17
erucoides (L.) DC. [10, 12, 13–15]
SUBSPECIES:
erucoides 10, 12, 13–15
longisiliqua (Cosson) Gómez-Campo 10, 12, 13–15
harra (Forsskål) Boiss. 10, 12, 15–17
ibicensis (Pau) Gómez-Campo 10, 12, 15–17
muralis (L.) DC. 9, 10, 12, 15–16
siettiana Maire 10, 12, 15–16
simplex (Viv.) Sprengel 10, 12, 15–17
tenuifolia (L.) DC. 9, 10, 12, 15–17
tenuisiliqua Delile 10, 12, 15–16
viminea (L.) DC. 9, 10, 12, 15–17
virgata (Cav.) DC. 10, 12, 15–16
Dipsacales 184
Diptera 23
Dirichletia 32
Dryandra 171–2, 188
bipinnatifida 171 Fig.

Ectadium E. Meyer 57, 58
Eichhornea 156
Ekebergia 176, 188
Elaeagnaceae 129
Elatinaceae 125
Epacridaceae 168–9, 188 [Fig.]
Ephebe Fr. 328
lanata (L.) Vain. 328, 378
Epilobium 156
Eremosyne 129
Ericaceae 31, 129, 187
Eriodictyon 125–6
Erucastrum Presl 9–10
Escallonia 127–9
viscosa Forbes 129
Escalloniaceae 127–8
SUBFAMILY:
Pterostemonoideae 127
Eucalyptus 186
Euphorbiaceae 31
Euphrasia 75
Evernia Ach. 342
divaricata (L.) Ach. 305, 375
prunastri (L.) Ach. 342, 380

Fabaceae [80, 124], 168–71, 175, 187, 188 [Figs], 192, 235–45
TRIBES:
Crotalarieae 171
Genisteae 171, 235–45
Liparieae 171
Mirbelieae 171
Fabronia
pusilla 40, 46
Fadogia 183
Fagaceae 88, 124
Fagus
sylvatica L. 36, 37, 39, 42, 97
Faurea 172, 188
Felicia 184
Fendlera 127
Flavoparmelia Hale 287
caperata (L.) Hale 287, 373
Foliaceí 301
Franklandia 171
Fraxinus 39, 41
angustifolia Vahl 36, 42
excelsior L. 36
Frullania
dilatata 39, 40, 43, 46
tamarisci 39, 46
Fumariaceae 96
Fungi [247–59]

Gardenia 183, 189
Gentiana
pneumonanthe 151, 156
Gentianaceae 156
Gentianales 31
Gentianella 156
Gloriosa 146
Gompholobium 171
knightianum 171
polymorphum 171 & Fig.
tomentosum 171
Gomphandra
javanica (Bl.) Valet. 231
Gonocaryum
pyriforme Scheff. 231
Gonopteryx
cleopatra 23
Goodenia 181, 183, 189
Goodeniaceae 166–9, 179, 180–1, 183, 184, 189 [Figs], 190, 192
Gramineae 87
Graphis Adans. 356
scripta (L.) Ach. 356, 381
Grevillea 169, 171–2, 187, 188
cv. 'Honey Gem' 174 Fig.
Grossulariaceae 127–9
Gymnospermae [247]

Habrodon
perpusillus 39, 40, 46
Haematomma
ventosum (L.) Massal. 365, 382
Haemodoraceae 156
Haemodorum 156
Hakea 171–2, 187, 188
Haplotrichion 184
Harpanema Decne 58
Hartleya Sleum. 222, 232
Hebe 65–6, 69, 79, 80, 84, 85–8

SECTIONS:
Glaucae 77
Subdistichae 74
GROUP:
"*Paniculatae*" 66, 79
crawii 74
formosa (R. Br.) Cockayne 69
hulkeana (F. Muell.) Cockayne & Allan 82
lavaudiana (Raoul) Cockayne & Allan 83
macrantha (Hook. fil.) Cockayne & Allan 66, 79
raoulii (Hook. fil.) Cockayne & Allan 81
VARIETIES:
maccaskillii Allan 82
pentasepala Moore 82
salicifolia 76
Heteranthera 156
Heterodermia
leucomelaena (L.) Poelt 329, 378
Heterolepis 184
Homalothecium
sericeum 39, 40, 43
Homoranthus 173–5, 188
Hydrangeaceae 124, 127–8
Hydrangeales 115, 127
Hydrophyllaceae 125
Hydrothrix 156
Hymenoptera 23
Hyoscyamus
niger 156
Hypnum
cupressiforme 39, 40
resupinatum 39, 40
Hypogymnia (Nyl.) Nyl. 338
physodes (L.) Nyl. 338, 379

Icacinaceae 221–33
TRIBE:
Icacineae 222
Icmadophila Trev. 305, 307 Fig.
ericetorum (L.) Zahlbr. 305, 375
Isopogon 171–3, 188
Isothecium
alopecuroides 39, 46
Isotoma 181
petraea 179
Itea 129
Ixora 183, 189

Jackia Wallich 29, 32
Jackiopsis Ridsdale 29–33
ornata (Wallich) Ridsdale 29–33 & Figs

Keetia
zanzibarica 169
Kelleria
dieffenbachii 86
laxa 86
Kermadecia 172, 188
Knightia 172
Kutchiathyrites 256

Lactuca 189
Lasallia Mérat 345
pustulata (L.) Mérat 345, 380
Laurentia 189
Lecanora 359, 382, 384
allophana (Ach.) Nyl. 358
carpinea (L.) Vain. 287, 373
chlarotera Nyl. 287
dispersa (Pers.) Sommerf. 334, 378
horiza (Ach.) Lindsay 358, 381
rupicola (L.) Zahlbr. 352, 381
subfusca 358, 366
Lechenaultia 179, 180–1, 189
formosa 182 Fig.
Lecidea Ach. 262, 317
fuscoatra (L.) Ach. 317, 376
Lecidella
elaeochroma (Ach.) M. Choisy 287, 353
Leguminosae 80, 124, 192
Leonohebe 66, 69, 73, 80, 87, 88
SECTIONS:
Buxifoliatae 69
Connatae 71
Densifoliae 74
Leonohebe 74
ciliolata 76
densifolia 76, 80, 86
hectorii 79
uniflora 76
Leontodon
farinosus Merino & Pau 20
Lepraria Ach. 271
incana (L.) Ach. 271, 371
neglecta 39
Leptodon
smithii 40, 46
Leptogium (Ach.) Nyl. 42, 262, 371
burgessii (L.) Mont. 281, 372
lichenoides (L.) Zahlbr. 38, 40, 43, 44, 371, 383
rivulare (Ach.) Mont. 371
saturninum 38, 40, 43, 44, 46
Letharia (Th. Fr.) Zahlbr. 367
vulpina (L.) Hue 367, 383
Leucadendron 172, 186, 188
coniferum 172
laureolum 172
tinctum 172
tradouwense 172
Leucodon
morensis 40
sciuroides 38, [42, 43], 46
var. *morensis* 42, 43, 44
Leucospermum 172, 188
oleifolium 171 Fig.
Lichen L. 262, 355, 387
ampullaceus L. 267, 272–3 & Fig., 372
aphtosus L. 273, 274 Fig., 372
aquaticus L. 273–5, 372, 388
arcticus L. 265, 275, 276 Fig., 372, 387
articulatus L. 275–7, 372
atro-albus L. 277, 372
atro-virens L. 277, 372
barbatus L. 267, 278 Fig., 280, 372
betulinus L. *ined.* 387
bronchialis L. *ined.* 387

burgessii L. 266, 281, 282 & Fig., 372
byssoides L. 267, 281, 372
calcareus L. 283, 373
calicaris L. 283–5 & Fig., 373
candelarius L. 285, 373
caninus L. 264, 285–6 & Fig., 373, 387
caperatus L. 286–7, 373
carpineus L. 264, 287, 288 Fig., 373, 387
centrifugus L. 287–9 & Fig., 373
chalybeiformis L. 264, 266, 290–1 & Fig., 373
chrysophtalmos L. 291, 292 Fig., 374
ciliaris L. 291–3 & Fig., 374
cinereus L. 294, 374
cocciferus L. 294, 295 Fig., 374
corallinus L. 296, 374
cornucopioides L. 261, 264, 296–7 & Fig., 374
cornutus L. 297–8 & Fig., 374
crispus L. *in sched.* 281
cristatus L. 299, 374
crocatus L. 299, 300 Fig., 374
croceus L. 299–300, 301 Fig., 374
cylindricus L. 301–2 & Fig., 375
deformis L. 302–3 & Fig., 375
deustus L. 303–4 & Fig., 375
digitatus L. 304–5, 375
divaricatus L. 264, 305, 306 Fig., 375
ericetorum L. 305, 307 Fig., 375
fagineus L. 307, 375, 387
fahlunensis L. 261, 307–9 & Fig., 356–7, 375
farinaceus L. 309, 310 Fig., 375, 387
fascicularis L. 309–11 & Fig., 375
fimbriatus L. 311, 376
floridus L. 311–12 & Fig., 376
fragilis L. 312–13 & Fig., 376
fraxineus L. 313–14, 315 Fig., 376
fuciformis L. 314, 376
furfuraceus L. 314–17 & Fig., 376, 387
VARIETIES:
ceratea (Ach.) D. Hawksw. 317
furfuraceus 315
fusco-ater L. 317, 376
gelidus L. 317, 376
geographicus L. 287, 317–18, 377, 387
glaucus L. 318, 319 Fig., 377
globiferus L. 266, 318–19, 320 Fig., 377
gracilis L. 319–20, 377
hirtus L. 320–2 & Fig., 338, 339, 377
hydrophilus L. *ined.* 387
islandicus L. [264], 322–4 & Figs, 377
var. *tenuissimus* L. 264, 322–4 & Fig., 377
jubatus L. 324, 325 Fig., 377
juniperinus L. 324–6, 327 Fig., 335, 377, 388
lacteus L. 272, 326, 378
lanatus L. 264, 326–8 & Fig., 378
leucomelos L. 329–30 & Fig., 378
leucomelus L. *in sched.* 329 Fig., 330
miniatus L. 330, 378
mollis L. *ined.* 387
nivalis L. 330–31 & Fig., 378
norlandicus L. *ined.* 387
olivaceus L. 265, 332, 333 Fig., 378
omphalodes L. 264, 273, 332–3, 354, 378, 387
pallescens L. 264, 333–4, 378
parellus L. 334, 379
parietinus L. 264, 326, 334–5, 379
paschalis L. 335–7 & Fig., 379
pertusus L. 337, 379
physodes L. 338, 339 Fig., 379, 387
plicatus L. 261, 321 & Fig., 338–9, 379
polyphyllus L. 340, 379
polyrhizos L. 340, 379
proboscideus L. 264, 301–2, [304], 340–1 & Fig., 379, 387
prunastri L. 341–2 & Fig., 380, 387
pubescens L. 343, 380
pulmonarius L. 343–4 & Fig., 380
pulverulentus L. *ined.* 387
pustulatus L. 345, 346 Fig., 380
pyxidatus L. 296, 345–7 & Fig., 380
rangiferinus L. [261], 347–9 & Fig., 380, 387
VARIETIES:
alpestris L. 348–9, 380, 387
sylvaticus L. 261, 349, 380
resupinatus L. 264, 275, 349, 350 Fig., 380
roccella L. 264, 349–51 & Fig., 380
rugosum L. 351–2, 381, 387
rupestris L. *ined.* 387
rupicola L. 352, 381
saccatus L. 264, 352, 353 Fig., 381
"*sanguinarium*" L. 353, 381, 387
sanguinarius L. 264, 353–4 & Fig., 387
saxatilis 332, 354–5 & Fig., 381, 387
saxeus L. *ined.* 387
scriptus L. 355–6, 381
stellaris L. 356, 357 Fig., 381
stygius L. 264, 309, 356–7, 381
subfuscus L. 357–8, 381
subulatus L. 358, 359 Fig., 381
tartareus L. 358–60, 382
uncialis L. 360, 361 Fig., 382
upsaliensis L. 264, 360, 363 Fig., 382
usnea L. 361–3 & Fig., 382
velleus L. 264, 363–4 & Fig., 382
venosus L. 268, 365, 366 Fig., 382
ventosus L. 365, 382
vernalis L. 365–7, 382
verrucosus Huds. 337, 379
vulpinus L. 264, 267, 367, 368 Fig., 383
Lightfootia 177, 188
Limonium 162 Rev.
Lobaria (Schreb.) Hoffm. 42, 262, 343
amplissima 38, 40, 43, 44, 45
laetevirens 44
linita 44
pulmonaria (L.) Hoffm. 37, 38, 40, 42, 43, 44, 45, 343, 380
scrobiculata 38, 40, 42, 43, 45
Lobelia 181, 189
cardinalis 179
coronopifolia 179 Fig.
jasionoides 179
pinifolia 179 Fig.
Lobeliaceae 166–9, 179–80, 181, 184, 185, 187, 189 [Figs], 190, 192
SUBFAMILY:
Lobelioideae 179
Lomatia 173, 188
Lomatogonium
rotatum 156
Lotus 188

Lupinus 169, 188
Lycium
barbarum 156
Lycopersicon 145
Lycopersicum 145
esculentum 145–6
Lycopodium
lucidulum 5
Lygodium 157

Maclaudia Venter & Verhoeven 57, **58**
felixii Venter & Verhoeven 57, 58, **59**–62 & Figs, & Map
Macrocystis 86
Macroglossum
stellatarum 23
Mangenotia Pichon 57, 58
Maranta 189
Marantaceae 168, 185, 189 [Fig.], 191, 192
Meconopsis
× *cookei* 146
Medicago 171
Medusanthera Seem. 222, 232
Melanelia Essl. 357
olivacea (L.) Essl. 332
stygia (L.) Essl. 308 & Fig., 309, 357, 375, 381
Meliaceae 168, 176, 188 [Fig.], 191
Melica L. 203
Mesembryanthemum 369
Mespilus 146
Metzgeria
furcata 39, 44, 46
Microthyriacites Cookson 247–8, 253 Figs, 255–7
cooksonii Rao 256
fimbriatus Cookson 255
grandis Cookson 255–6
Mimetes 172, 188
hottentoticus 172
stokoei 172
Mnium 157
Monnina 175
Monopsis 179, 189
Monotropaceae 162 Rev.
Mucor 262
fulvus L. 367, 383
furfuraceus L. 367, 383
lichenoides L. 261, 369, 383
sphaerocephalus L. 369, 383
Muraltia 175–6, 188
SUBGENUS:
Muraltia 176
oxysepala 176
pauciflora 176
Musgravea 173
Musgraveinanthus 173
Mycena 270
Mycoblastus Norman 353
affinis (Schaer.) Schauer 283, 373
sanguinarius (L.) Norman 353, 381
Myrtaceae 165, 168, 173–5, 186, 188 [Figs], 191, 192
Myxomycetes [369]

Nauclea 183, 186
Neckera
complanata 38, 44, 46
pumila [39], 44, [46]
var. *pilifera* 39, 46
Neofuscelia
pulla (Ach.) Essl. 332, 333 Fig., 378
Neorites 190
Nephroma Ach. 275
arcticum (L.) Torss. 275, 372
bellum 44
laevigatum 37, 38, 40, 42, 43, 44, 45
parile 38, 42, 43, 46
resupinatum (L.) Ach. 37, 38, 42, 44, 45, 349, 380
Nicotiana 145, 146, 156, 158
alata Link & Otto 147–9, 151 Fig., 156
digluta 156
forgetiana Hort. *ex* Hemsley 147–9, 151 Figs, 156
glutinosa 156
langsdorffii 147–9, 156
otophora 156
× *sanderae* Hort. *ex* Watson 145–59 & Figs
sylvestris 156
tabacum 156
Normandina
pulchella 39, 41
Nothofagus 88
Notothyrites Cookson 247–50 & Figs, 256–7
airensis Cookson 248, 250
amorphus Kar & Saxena 250
denticulatus Ramanujam & Rao 250
echinatus Rao & Ramanujam 250
padappakarensis Jain & Gupta 250
setiferus Cookson 248, 250

Ochrolechia Massal. 271, 360, 384
pallescens 334
parella (L.) Massal. [39], 334, 379
ssp. *palle* 39
szatalaënsis Vers. 334
tartarea (L.) Massal. 359
upsaliensis (L.) Massal. 334, 360, 382
Omphalina
umbellifera (L.: Fr.) Quélet 270, 371
Onygena
equina (Willd.: Fr.) Pers.: Fr. 281, 372
Opegrapha
varia Pers. 356
Ophioparma Norman 365
ventosa (L.) Norman 365, 382
Oreocallis 172
Orites 190
Orthocarpus 217
Orthotrichum
affine 39, 42, 46
diaphanum 41
lyellii 39, 41, 43, 46
rupestre [39, 41, 46]
var. *franzonianum* 39, 41, 46
stramineum 39, 46
striatum 39, 46
tenellum 41, 46
Ourisia 88

Pachystigma 183, 189

Pannaria
conoplea 38, 44, 46
ignobilis 41, 46
mediterranea 38, 40, 42, 46
rubiginosa 41, 44, 46
Pappophorum Schreb. 203
Parahebe 65 89 & Maps
SECTION:
Paniculatae Heads 65, 71, **79** 83, 84, 87
albiflora (Pennell) van Royen & Ehrend. 83 Map, 84
arcuata (Briggs & Ehrend.) Heads 65, 70 Map, **71**
arenaria (A. Cunn. *ex* Benth.) Heads 65, 69, 70 Map
birleyi (N.E. Br.) Oliver 74 & Map, 75
blakelyi (Briggs & Ehrend.) Heads 65, 70 Map, **71**
brevistylis (Garnock-Jones) Heads 65, **72**–3 & Map, 74, 75
canescens (Kirk) Oliver 72, 75, 76 Map
carstensensis (Wernham) van Royen 83 Map, 84
catarractae (Forst. fil.) Oliver 65, 70, 75, 76, 77–9, 86, 88
SUBSPECIES:
catarractae 78 & Map, 87
diffusa (Hook. fil.) Garnock-Jones 78 Map, 79
lanceolata (Benth.) Garnock-Jones 78 & Map, 79, 87
martinii Garnock-Jones 78 Map, 79
cheesemanii (Benth.) Oliver 75, 76 Map
ciliata (Pennell) van Royen & Ehrend. 66, 67 Fig., 83 Map, 84
decora Ashwin 75, 76, 77 Map
decorosa (F. Muell.) Briggs & Ehrend. 69, 70 Map
derwentiana (Andr.) Briggs & Ehrend. [65], 68, 69, [70, 71], 86
SUBSPECIES:
anisodonta (Briggs & Ehrend.) Heads 65, 70 Map, **71**
derwentiana 70 & Map
homalodonta (Briggs & Ehrend.) Heads 65, 70 Map, **71**
maideniana (Gand.) Heads 65, **70** & Map
subglauca (Briggs & Ehrend.) Heads 65, 70 & Map, **71**
diosmoides (Schlechter) van Royen & Ehrend. 83 Map, 84
formosa (R. Br.) Heads **69**, 70
giulianettii (Schlechter) van Royen 83 Map, 84
hookeriana (Walp.) Oliver 77 & Map
hulkeana (F. Muell.) Heads 65, 79, **82** & Map, 87
lavaudiana (Raoul) Heads 65, 80, 82 Map, **83**, 87
laxa (Simpson & Thomson) Oliver 73 & Map, 74
ledenfeldii (F. Muell.) van Royen 83 Map, 84
linifolia (Hook. fil.) Oliver 72, 73 & Map, 75
ssp. *brevistylis* Garnock-Jones 72
lithophila Briggs & Ehrend. 69, 70 Map, 71, 86
lyallii (Hook. fil.) Oliver 75, 76, 77 & Map
macrantha (Hook. fil.) Heads 65, **79**
VARIETIES:
brachyphylla (Cheesem.) Heads 65, **79**, 80 Map
macrantha 79, 80 Map
nivea (Lindley) Heads 65, **69**, 70 Map
olsenii (Col.) Oliver 77 & Map
papuana van Royen & Ehrend. 83 Map, 84
perfoliata (R. Br.) Briggs & Ehrend. 68, 70 Map, 71
planopetiolata (Simpson & Thomson) Oliver 73 & Map
polyphylla (Pennell) van Royen & Ehrend. 83 Map, 84
raoulii (Hook. fil.) Heads 65, [68], 79, **81** 2 & Map, 87
SUBSPECIES:
maccaskillii (Allan) Heads 65, 68, 80, 81 & Map, **82**
pentasepala (Moore) Heads 65, 81 & Map, **82**
raoulii 79, 81 & Map, 82
rigida (Pennell) van Royen & Ehrend. 83 Map, 84
rubra (Pennell) van Royen & Ehrend. 83 Map, 84
spathulata (Benth.) Oliver 75, 76 Map
tenuis (Pennell) van Royen & Ehrend. 83 Map, 84
trifida (Petrie) Oliver 74 & Map, 75
vandewateri (Wernham) van Royen & Ehrend. 83 Map, 84
velutina (Briggs & Ehrend.) Heads 65, 70 & Map, **71**
Parinari
excelsa 62
Parkinsonia 146
Parmathyrites (Jain & Gupta) Jain 247–8, 249 Fig., 251–2, 256–7
indicus Jain & Gupta 251–2
ramanujamii Singh, Saxena & Rao 252
robustus Jain & Kar 251–2
turaensis Kar, Singh & Sah 251–2
Parmelia Ach. 43, 262, 355
caperata (L.) Ach. 39, 46, 287, 373
centrifuga (L.) Ach. 288, 373
glabra 41
glabratula 41
olivacea (L.) Ach. 332
omphalodes (L.) Ach. 273, 333, 372, 378
pastillifera 39, 46
perlata 39, 46
pulla Ach. 332, 378
saxatilis (L.) Ach. 355, 381
stygia (L.) Ach. 309, 375
subaurifera 39, 41
submontana 41, 46
sulcata Tayl. 39, 41, 332
tiliacea 39, 41
Parmeliella
tryptophylla 41, 46
Parmotrema
perforata (Jacq.) Hale 274, 302, 375
Passifloraceae 124
Pavetta 183, 186, 189
Pellaea
andromedifolia 5
glabella [6]
VARIETIES:
glabella 6
simplex 6
Pelletrixia 157
Peltigera Willd. 262, 286, 384
aphthosa (L.) Willd. 273, 372

canina (L.) Willd. 286
collina 37, 38, 40, 42, 43, 44, 46
horizontalis (Huds.) Baumg. 366 Fig.
leucophlebia (Nyl.) Gyeln. 366 Fig.
membranacea (Ach.) Nyl. 286
praetextata (Flörke *ex* Sommerf.) Zopf. 41, 286 & Fig., 373
venosa (L.) Hoffm. 365, 366 Fig., 382
Pentanisia 183
Periplocaceae 57–63
Persoonia
elliptica 156
Pertusaria 337
albescens [39, 41]
var. *albescens* 39, 41
amara 39, 46
coccodes 41
corallina (L.) Arnold 296, 374
flavida 39, 41
hemisphaerica 39, 41, 46
hymenea (Ach.) Schaer. 337
lactea (L.) Arnold 326, 378
pertusa (L.) Tuck. 39, 41, 337, 379
pertusa (Weigel) Tuck. 337
pseudocorallina (Liljeblad) Arnold 283
verrucosa Mont. 337
Petrocoptis
grandiflora Rothm. 19–27
Petromarula 176
pinnata 176–7
Petrophile 171–3, 188
rigida 174 Fig.
Phaeographis
dendritica (Ach.) Müll. Arg. 356
Philadelphaceae 124, 127
Philydrum 156
Phlyctis
argena 39, 41
Phragmothyrites (Edwards) Kar & Saxena 247–8, 252–5 & Figs, 256–7
eocaenica (Edwards) Kar & Saxena 252–4 & Fig.
Physcia
aipolia 41
stellaris (L.) Nyl. 356, 381
Physconia 43
distorta 39, 41
enteroxantha 39, 41
perisidiosa 39, 41
venusta 41
Phyteuma 177, 186
comosum 177
orbiculare 177
Phytocrene
dasycarpa Miq. 231
Picris 182 Fig.
Pileanthus 191
Pittosporaceae 126
Placopsis (Nyl.) Lindsay 317
gelida (L.) Lindsay 317, 376
Placospermum 191
Plagiomnium 157
Platismatia Culb. & C. Culb. 318
glauca (L.) Culb. & C. Culb. 272–3, 318, 377
Plumbaginaceae 162 Rev.
Poaceae [87], 197–210
TRIBE:
Aveneae 203
Pohlia 157
Polygala 168, 175–6, 186, 188
myrtifolia 174 Figs
persicariaefolia 176
vauthieri 176
Polygalaceae 168, 175–6, 188 [Figs], 191, 192
Pontederiaceae 156
Porella
obtusata 37, 40, 42, 43, 44, 46
platyphylla 39, 40, 42, 45
Potamochoerus
porcus L. 231
Prismatocarpus 177, 188
Protea 171–2, 186, 188
cynaroides 171 Fig.
Proteaceae 157, 166–9, 171–3, 186, 187, 188 [Figs], 190–1, 192
SUBFAMILIES:
Grevillioideae 172–3
Persoonioideae 190
Proteoideae 173, 190
Sphalmioideae 171
TRIBES:
Conospermeae 171
Persoonieae 171
Proteeae 172
"Protoproteaceae" 173
Pseudephebe M. Choisy 343
pubescens (L.) M. Choisy 343, 380
Pseudevernia Zopf 317
furfuracea (L.) Zopf 317, 376
Pseudocyphellaria
aurata 44
crocata (L.) Vain. 299, 374
Pseudosmodingium 124
Psiloclada 176
Pteridophyta [1–8, 93–4 Rev.], 157, [247]
Pterigynandrum
filiforme 37, 38, 43, 45
Pterogonium
gracile 37, 40, 42, 43, 44, 46
Pterostemon Schauer 115, 117 Fig., 124–30
mexicanus Schauer 115–23 & Figs, 127, 128 Figs, 129
rotundifolius Ramírez 115–23 & Figs, 125 Fig., 127, 128 Fig., 130
Pterostemonaceae (Engl.) Small 115–31
Pygmea
ciliolata 74
var. *fiordensis* 75

Quercus 124
faginea Lam [36, 41, 43]
ssp. *broteroi* (Coutinho) A. Camus 36, 41, 43
ilex L. [37, 41, 42, 43]
ssp. *ballota* (Desf.) Samp 37, 41, 42, 43
pyrenaica Willd. 36, 39, 41, 42, 43
robur 97
rotundifolia Lam. 20
Quintinia 129

Radula
complanata 39, 46

Ramalina Ach. 262, 314
calicaris (L.) Fr. 284
farinacea (L.) Ach. 309, 375
fraxinea (L.) Ach. 314, 376
siliquosa (Huds.) A. L. Sm. 284 & Fig., 373
usnea (L.) R. Howe 363, 382
Rhizocarpon Ram. *ex* DC. 318
badioatrum (Flörke *ex* Sprengel) Th. Fr. 277
geographicum (L.) DC. 265, 277, 318, 377
tinei (Tornab) Runem. [318]
ssp. *vulgare* Runem. 318
Rhizogonium 157
Rhododendron 126, 129
malayanum Jack 127
nuttallii Booth 126
punctatum Andr. 126
Rhus 124
Ribes 129
Roccella
fuciformis (L.) DC. 314, 376
patellata Stirt. 350, 380
"*roccella*" 350
tuberculosa [350, 380]
var. *vincentina* Vain. 350, 380
Roella 177, 188
Rosaceae 45–56, 124, 127, 129, 211–19, 230
SUBFAMILY:
Rosoideae 230
TRIBE:
Quillajeae 127
Rosales 127
Roussea 129
Rubiaceae 29–33, 86, 88, 166–9, 183–4, 186, 189 [Figs], 190
SUBFAMILIES:
Cinchonoideae 183
Ixoroideae 183
TRIBES:
Cremasporeae 183
Hedyotideae 32
Jackieae 29–33
"Oldenlandieae" 32
Vanguerieae 184
Rubus 49–56
SUBGENUS:
Rubus 49
SERIES:
Pallidi 49
castroviejoi Monasterio-Huelin **52**–54 & Map, & Fig.
cyclops Monasterio-Huelin **50**–51 & Fig., 52 Map
urbionicus Monasterio-Huelin 52 Map, **54**–56 & Fig.
Rutaceae 129

Sacleuxia Baill. 58
Salicaceae 31
Sanicula
europaea 110
Santalum
acuminatum 167
Sapotaceae 31
Saxifraga [91–2 Rev.]
Saxifragaceae 87, 124, 127–9, 156
SUBFAMILIES:
Escallonioideae 127, 129
Hydrangeoideae 127, 129
Montinioideae 129
Pterostemonoideae 127
Saxifragoideae 129
TRIBES:
Philadelpheae 127
Pterostemoneae 127
Ribesieae 127
Saxifragales 115, 127
Scaevola 189
Schistostoma 232
Schizaea 157
Scrophulariaceae 65–89, 133–43
TRIBE:
Veroniceae 140
Securidaca 175
Senecio 184, 189
Siphocodon
debilis 177, 188
spartioides 177
Solanaceae 145–59
Solanum
dulcamara 156
penellii 145–6
Solorina Ach. 352
crocea (L.) Ach. 300, 374
saccata (L.) Ach. 352, 381
Sophora
prostrata 80
Spatalla 172, 188
racemosa 171 Fig.
Spermadictyon 32
Sphaeria
pertusa Weigel 337
Sphaerialites 256
Sphaerolobium
macrantherum 169
Sphaerophorus 384
fragilis (L.) Pers. 313, 376
globosus (Huds.) Vain. 319, 377
Sphalmium 171
Splachnum 301
Stackhousia 126
Stackhousiaceae 126
Stemonurus Blume 222
Stenocarpus 172–3, 188, 190
Stereocaulon (Schreb.) Hoffm. 337
myriocarpum Th. Fr. 335
paschale (L.) Hoffm. 337, 379
tomentosum Th. Fr. [335], 336 Fig.
var. *orizabae* (Th. Fr.) Vain. 335
Sticta 42
fuliginosa 39, 43, 46
limbata 44
sylvatica 39, 43, 46
Stirlingia 190
Stoebe 184, 189
Stomatostemma N.E. Br 57, 58
monteiroae (Oliver) N.E. Br 58, 59
Strangea 173, 190
Stylidiaceae 167
Styracaceae 31
Swainsona 188

Synaphea 190

Tarrena 189
Telopea 173
Teloschistes
chrysophthalmus (L.) Th. Fr. 291, 374
flavicans (Sw.) Norman 367
Theales 232
Thymelaeaceae 86
Todea
barbara 5
Tortula
laevipiformis 41
laevipila 41
Tremella 262
lichenoides L. 370–1 & Fig., 383
Trichilia 176, 188
Tripsacum 146
Tuberaria 162 Rev.
Turraea 176, 188, 190
obtusifolia 179 Fig.
Turrillia 172, 188

Ulota
crispa 39, 42, 45
Umbilicaria 274, 302
cylindrica (L.) Delise *ex* Duby 301–2, 379
cylindrica sensu Ach. 302, 341 & Fig.
deusta sensu Ach., *et auct. plur.* 304
flocculosa Hoffm. 304
neocylindrica Wei 302, 341
neoproboscidea Wei 304
polyphylla (L.) Baumg. 340, 379
polyrhiza (L.) Fr. 340, 379
proboscidea sensu Ach. *et auctt.* 304 & Fig., 341, 375
vellea (L.) Ach. 364, 382
Urticaceae 31, 129
Usnea Hill 262, 280, 312
articulata (L.) Hoffm. 277, 279 Fig., 280, 372
barbata (L.) Weber [279 Fig.], 280, 372
ceratina Ach. 339, 379
cornuta Körb. 322, 377
filipendula Stirt. 279 Fig., 280
florida (L.) Weber *ex* F. H. Wigg. 312, 376
hieronymii Krempelh. 322
hirta (L.) Weber *ex* F. H. Wigg. 321
lapponica Vain. 321 & Fig.
plicata (L.) F. H. Weber 339
subfloridana Stirt. 322, 339
wasmuthii Räs. 280, 322
Usneaceae 267

Vangueria 189
apiculata 184
infausta 169
Vauquelinia 124
Veronica L. 66, 69, 75, 79, 85, 86, 88, 133–43 & Figs
SECTIONS:
Beccabunga (Hill) Dumort. 133, 139–40
Hebe 69
Pocilla Dumort. 133, 139–40
Veronica 133, 139–40
agrestis L. 133, 137, 138 Fig., 141, 143
anagallis-aquatica L. 133, 135, 137 Fig., 139–40, 141, 142
anagalloides Guss. 133, 135, 137 Figs, 139–40, 141, 142
arenaria A. Cunn. *ex* Benth. 69
arvensis L. 133, 137 & Figs, 139–40, 141, 142
cymbalaria Bodard 133, 138 Figs, 139–40, 141, 143
densifolia 69
formosa R. Br. 69
hederifolia L. 133, 138 Figs, 139–40 & Fig., 141
SUBSPECIES:
hederifolia 139 & Fig., 143
triloba 139 & Fig., 143
hulkeana F. Muell. 82
lavaudiana Raoul 83
macrantha Hook. fil. 79
var. *brachyphylla* Cheesem. 79
maideniana Gand. 70
nivea Lindley 69
peregrina L. 133, 137, 138 Figs, 139–40, 141, 142
persica Poiret 133, 137, 138 Figs, 141, 143
polita Fries 133, 137, 141, 142
praecox All. 133, 137 & Figs, 140, 141, 142
raoulii Hook. fil. 81
scutellata L. 133, 135, 137 Figs, 139–40, 141, 142
triphyllos L. 133, 137 & Figs, 140, 141, 142
Verticordia 175, 186, 188, 191
grandis 191
penicillaris 174 Fig., 191
Vicia 169, 188
Vulpicida 384
juniperinus (L.) Mattsson & M. J. Lai 324, 326
tubulosus (Schaer.) Mattsson & M. J. Lai 326, 327 Fig., 377

Wahlenbergia 166, 177, 188
albomarginata 176, 187
capensis 177, 179 Figs
Whitmorea Sleum. 222

Xanthoria Th. Fr. 335
candelaria (L.) Th. Fr. 285, 373
ectaneoides (Nyl.) Zahlbr. 335
elegans (Link) Th. Fr. 335
parietina (L.) Th. Fr. 326, 335, 379
Xolantha Raf. 162 Rev.
Xylocopa 19–27
violacea 19, 23, 25
Xylomelum 172, 188

Zea 146
Zingiberales 185, 192
Zygodon
baumgartneri 38, 40, 42, 46
viridissimus 39, 46